OXC-3505 Copy 7 of 7 22 May 1962

DATE: 10 Feb 82 neviewer:

MEMORANDUM FOR THE RECORD

25X1

25X1

Use of the KC-135 for In-flight Refueling of the A-12 SUBJECT:

| OI the n-12 | |
|--|--------------------|
| | |
| 1. In response to several questions raised by | 051/4 |
| concerning above subject, Lt Col. | 25X1 |
| Wilson of AFCIG-5 on 16 May 1962, provided me with the | |
| following information for relay to | 25X1 |
| | 23X I |
| a. The procedure recommended by | 25X1 |
| for preparing the KC-135 refueling system to | 20, () |
| accommodate PF-1 fuel is to completely drain the tanker | |
| of its present load and flush with 5,000 gallons of PF-1. | |
| A milipore sample will be taken from the tank upon com- | |
| pletion of pumping the 5,000 gallons into the KC-135. | |
| This sample will be studied and fuel then pumped out of | |
| the tanker and disposed of. believes, although | 25X1 |
| he does not have any experience as yet with this proce- | |
| dure, that the single flushing should adequately cleanse | |
| the KC-135 refueling system for delivery of clean PF-1 | |
| fuel into the A-12. | |
| b. The determination as to the use of Castle | |
| A. THE WALL AND WALLEST AND THE MEDICAL CONTRACTOR OF THE CONTRACT | |
| AFB as a storage point for PF-1 for loading into the | |
| tanker is still undecided. Apparently, the decision to develop storage facilities for PF-1 at Castle rests with | |
| Colonel Geary and with coordination by Colonel Beerli of | |
| DPD. | |
| * | |
| c. The nomination for security clearance of the | |
| ground support team of six enlisted maintenance personnel | |
| for the KC-135 tanker operating at is heing | 25X1 |
| handled by Lt. Col. Wilson, AFCIG-5. He informs me that | -0/() |
| ne is in contact with Colonel Ellsworth Powell at SAC. | |
| to obtain the names of the personnel planned for the | |
| operation. He anticipates no problem in having these | |
| personnel security cleared by 15 June. | |
| SIGNED | |
| | 051/4 |
| Chief, Materiel Staff, DPD | 25X1 |
| Distribution: | |
| Con T CO (NOC (TOTAL) | 25V1 |
| 2 - AC/DPD 5 - DB/DPD HO CHANCE IN CALCOR. TO DECLASSIVE D | 25X1 |
| 3 - C/SPB/DPD 6 - SO/DPD CLASS. CHARGED TO: TO S SO | 12 |
| Approved FOR Release 2002/11/84 PRORDER 1800 79R00 1900 90067 3 | Company of the Art |
| AUTH: HE TO AUTHOR THE TOTAL OF | |